


We are your *competent* partner for cable routing

...ensuring your production processes
don't get left hanging.




BLOCAN®
Cable Channel System

BLOCAN®– Cable Channel System


Channel functionality

- ✓ Aluminium cable channel in sizes 40x40, 40x80 and 80x40
- ✓ Smooth and scratch-resistant easy to clean anodised surface

Easy to open / excellent accessibility




Lift cover to open




or pivot open.

Arrangement in channel with optional separating strips



Assembling the channel


Easy assembly (no profile drilling) with BLOCAN profiles



as required Ø12 pre-punched (approx. every 200 mm)

Mounting clip


BLOCAN® profile



Equipotential bonding


Creation of an electrically conducting connection using a self-tapping screw is possible.

Earthing kit available as accessory




Cable arrangement

Insertable spring strips hold cover in position




Spring strips


Assembly strips facilitate overhead assembly




Assembly strips hold cable in position

NEW**Profile KK-40x20**

Code No.	Profile	Version	Weight
4F55A01	KK-40x20, bar 6 m	Channel with mounting holes	0,609 kg/m
4F55A00	KK-40x20, cut to required length		
4F55001	KK-40x20, bar 6 m	Channel without mounting holes	0,611 kg/m
4F55000	KK-40x20, cut to required length		

Profile KK-40x40

Code No.	Profile	Version	Weight
4E15A01	KK-40x40, bar 6 m	Channel with mounting holes	0,745 kg/m
4E15A00	KK-40x40, cut to required length		
4E15001	KK-40x40 bar 6 m	Channel without mounting holes	0,747 kg/m
4F55000	KK-40x40, cut to required length		


Profile KK-40x80

Code No.	Profile	Version	Weight
4E35A01	KK-40x80, bar 6 m	Channel with mounting holes	1,152 kg/m
4E35A00	KK-40x80, cut to required length		
4E35001	KK-40x80 bar 6 m	Channel without mounting holes	1,155 kg/m
4F35000	KK-40x80, cut to required length		

BLOCAN® – Cable Channel System


Die Kabelkanal-Profile

Profil KK-80x40



Code No.	Profile	Version	Weight
4E25A01	KK-80x40, bar 6 m	Channel with mounting holes	1,290 kg/m
4E25A00	KK-80x40, cut to required length		
4E25001	KK-80x40 bar 6 m	Channel without mounting holes	1,292 kg/m
4E25000	KK-80x40, cut to required length		

Profil KK-80x80



Code No.	Profile	Version	Weight
4F15A01	KK-80x80, bar 6 m	Channel with mounting holes	1,690 kg/m
4F15A00	KK-80x80, cut to required length		
4F15001	KK-80x80 bar 6 m	Channel without mounting holes	1,693 kg/m
4F15000	KK-80x80, cut to required length		

Order instruction:

- Purchase only in lot sizes and amultiple of that see product table below

Spring strips for cover

Material: PVC
Recommended quantity: 5 units/meter



Code No.	KK-Profile	lot sizes
4E18504	40x20 NEW	10, 20, 30... piece
	40x40, 40x80	
4E28501	80x40, 80x80	

Cover plate

Material: natural anodised aluminium



Code No.	KK-Profile	lot sizes
4F555011	40x20	6, 12, 18... piece
4E155011	40x40 NEW	
4E255011	40x80, 80x40,	
4F155011	80x80	

Grommet for cable outlet

Material: Z-PVC
Outlet Ø 22 mm



Code No.	KK-Profile	lot sizes
4E18505	40x40, 40x80, 80x40, 80x80	6, 12, 18... piece

Separating strip

Material: PVC



Code No.	KK-Profile	lot sizes
4E18506	40x40	10, 20, 30... piece
4E28502	40x80, 80x40	
4F18501	80x80	

Cable mounting clip

Material: PA-GF30



Code No.	KK-Profile	lot sizes
4E18503	all	10, 20, 30... piece

End cover for cable outlet

Material: natural anodised aluminium
Thickness 1.5 mm
Hole Ø 25 mm



Code No.	KK-Profile	lot sizes
4E15502	40x40	6, 12, 18... piece
4E25502	40x80, 80x40	
4F15502	80x80	

Membrane grommet for cable outlet

Material: Z-PVC



Code No.	KK-Profile	lot sizes
4E18502	40x40, 40x80, 80x40, 80x80	6, 12, 18... piece

Edge protection for inlets and profile ends

Material: PVC, grey



Code No.	KK-Profile	Type
4E18501	all	1 unit per 1 m

BLOCAN® – Cable Channel System

Order instruction:

- Purchase only in lot sizes and amultiple of that see product table below

Assembly strip

Material: PVC



Code No.	KK-Profile	lot sizes
4E18507	40x20 NEW	10, 20, 30... piece
	40x40, 40x80	
4E28503	80x40	

Cable tie base *

Material: PA66



Code No.	KK-Profile	lot sizes
4F18502	all	10, 20, 30... piece

* May be used with channel assembly clip.

Self-tapping screw (ISO 7049 St. 3.5x9.5, type F)



Code No.	KK-Profile	lot sizes
4E16501	all	10, 20, 30... piece

Earthing kit



Code No.	KK-Profile	Type
4E16502	all	screw, slot stone, washers

Contact washer

(Equipotential bonding for cover plates)



Material: Galvanised steel


Code No.	KK-Profile	lot sizes
4E16503	all	100, 200, 300... piece




Spring strips hold the cover open in any position



Quick and easy assembly with a fixing clip




Cover plates and outlets as required



Leads can be separated with pressfit separating strips...



...or make overhead work easier.



Edge protection for inlets or outlets



Standard components make equipotential bonding easy

R RENOWNED
KNOW-HOW



RK ROSE+KRIEGER

A Phoenix Mecano Company

**LINEAR-
PROFILE-
CONNECTING-
MODULE-
TECHNOLOGY**



FAX reply form

☒ Yes, I am interested in the BLOCAN®
profile system. Please:

☐ send me the full BLOCAN components
catalogue

☐ send me a CD-ROM
of the entire range in PDF

☐ contact me

Company: _____

Contact partner: _____

Department: _____

Address: _____

Tel. + Fax: _____

E-mail: _____



RK ROSE+KRIEGER

A Phoenix Mecano Company

Connecting and positioning systems

RK Rose+Krieger GmbH
Postfach 15 64
32375 Minden, Germany
Telephone: +49 (0)571 93 35-0
Fax: +49 (0)571 93 35-119
E-mail: info@rk-online.de
Internet: www.rk-rose-krieger.com